ത്തെ മറ്റു സവർണ്ണരും അനുവദിച്ചില്ലെന്നും മറ്റും പത്രങ്ങളിൽ കണ്ട റിപ്പോർട്ടിൽ വല്ല വാസ്തവവും ഉണ്ടോ ;

(ബി) "മലബാർമെയിൽ", "സ്നേഹിതൻ" മുതലായ പത്രങ്ങളിലെ ഇതിനെ സംബന്ധിച്ചു റിപ്പോർട്ടുകൾ ഗവൺമെണ്ടിന്റെ ശ്രദ്ധയിൽ പെട്ടിട്ടുണ്ടോ ;

(സി) ഇതിനെ സംബന്ധിച്ചു ഗവൺമെണ്ടു് വല്ല അന്വേഷണവും നടത്തിയൊ ;

(ഡി) ഉണ്ടെങ്കിൽ ഏതെല്ലാം അന്വേഷണങ്ങളും നടപടികളും ആണു് എടുത്തതു് ;

(ഇ) അതിന്റെ ഫലമെന്താണു് ?

Rao Sahib M. M. Paul *(Director of Food Supplies):*

(എ to ഇ) ചേന്ദമംഗലത്തു് വഴി തടഞ്ഞതായിയാതൊരു റിപ്പോർട്ടും ഗവൺമെണ്ടിന്റെ ദൃഷ്ടിയിൽപ്പെട്ടിട്ടില്ല. പാലിയം നടയിൽ രണ്ടു ചില്ലറ ഷാപ്പുകൾ ഉണ്ടു്. അവ ക്ഷേത്രപരിസരത്തിൽ പെട്ടവയാകയാൽ അവയിലേക്കു അവർണ്ണർക്കു പ്രവേശനമില്ല. ഈ ഷാപ്പുകളിലേക്കു പ്രവേശനമില്ലാത്തവർക്കു യാതൊരു അസൌകര്യമോ ബുദ്ധിമുട്ടോ ഉണ്ടാകുന്നില്ല. എന്തുകൊണ്ടെന്നാൽ ഈ ഷാപ്പുകളിൽനിന്നു് ഏതാനുംവാര മാത്രം അകലെയായി എല്ലാജാതിക്കാർക്കും ഒരുപോലെ പ്രവേശിക്കാവുന്ന ഒരു ന്യായവില ഷാപ്പുണ്ടു്. മേൽപറഞ്ഞ ചില്ലറ ഷാപ്പുകളും അവയിലേക്കു് പ്രവേശനമുള്ളവരായ ഫുഡു് സപ്ലൈസു് ഡിപ്പാർട്ടുമെണ്ടിലെ ഉദ്യോഗസ്ഥന്മാർ ശരിയായി പരിശോധിച്ചുവരുന്നുണ്ടു്.

OFFICE-ROOM AND CHAMBERS OF THE ADVOCATE-GENERAL—ELECTRIC FITTING OF

310. Mr. K. Narayana Menon *(Mulakunnathukavu)* Will Government be pleased to state.—

(*a*) how long have the present Office room and Chambers of the Advocate-General been in the present place and building;

(*b*) how many years have elapsed since the building has been supplied with electric installation;

(*c*) whether there is any light fitted in the Chambers of the Advocate-General;

(*d*) whether the Advocate-General does or does not hold many meetings and sittings of Committees in his room;

(*e*) whether representations have not been made to the Government to fit the room with electric lights and fan;

(*f*) what is the action taken by Government on such representations, if any?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):*

(*a*) About 25 years

(*b*) Some portion of the building was wired about 6 years ago

(*c*) No.

(*d*) Yes

(*e*) No record of any representation can be traced

(*f*) Does not arise.

CHALAKKUDI MARKET VETTUKADAVU ROAD—LAND ACQUISITION PROCEEDINGS

311. Mr. A. V. Moothedan *(Chalakkudi):* Will Government be pleased to state—

(*a*) whether land acquisition proceeding for the construction of the Chalakkudi Market Vettukadavu Road, have been started;

(*b*) if not what is the cause for the delay?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):*

(*a*) & (*b*) The acquisition papers are under preparation.

LANDING-PLACE AT ELANKUNNAPUZHA FOR BOATS PLYING BETWEEN MATTANCHERI AND KOTTAPPURAM

312. Mr. P. Narayana Menon *(Trippunittura):* Will Government be pleased to answer.— Is there any landing-place or jetty for the passengers to get down at Elankunnapuzha from boats plying between Mattancheri and Kottappuram?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):* No.

BOATS PLYING BETWEEN ERNAKULAM AND KOTTAPPURAM— ISSUE OF TICKETS

313 Mr. P. K. Krishnan *(Nominated):*

LIBRARY ARCHIVES Kerala Legislative Assembly

താഴെ പറയുന്ന ചോദ്യങ്ങൾക്ക് ബഃ ഗവൺമെണ്ടു സദയം മറുപടി പറയുമോ.—

(എ) എറണാകുളം-കോട്ടപ്പുറം ലൈൻ ബോട്ടുകളിൽ യാത്രക്കാക്ക് എറണാകുളം ജട്ടിയിൽ ടിക്കറ്റുകൾ കൊടുക്കുന്നതിൽ അയ്യമ്പിള്ളി, പള്ളിപ്പുറം, കോട്ടപ്പുറം മുതലായ അകല സ്ഥലങ്ങളിലേക്കുള്ള യാത്രക്കാക്ക് ടിക്കറ്റുകൾ കൊടുത്തതിനുശേഷം സ്ഥലസൌകര്യമുണ്ടെങ്കിൽമാത്രം കാച്ചംമുരുത്തു, കറുത്തേടം എന്നിവിടങ്ങളിലേക്കുള്ള യാത്രക്കാക്ക് ടിക്കറ്റുകൾ കൊടുത്താൽമതിയെന്ന ബഃ ഗവൺമെണ്ടു നിർദ്ദേശിച്ചിട്ടുണ്ടോ;

(ബി) ഇല്ലെങ്കിൽ ടിക്കറ്റ് കൊടുക്കുന്നവർ അപ്രകാരം ചെയ്യുന്നതു എന്തുകൊണ്ടു;

(സി) ടിക്കറ്റ് കൊടുക്കുന്നവരിൽ ചിലർ യാത്രക്കാരെ ചീത്തപറയുന്നതിനെ സംബന്ധിച്ചു ആക്ഷേപങ്ങൾ വല്ലതും ഗവൺമെണ്ടിലേക്കു ലഭിച്ചിട്ടുണ്ടോ;

(ഡി) അഴീക്കൽ, കാച്ചുമുരുത്തു, കറുത്തേടം എന്നിവിടങ്ങളിലേക്കു ടിക്കറ്റുകൾ കൊടുക്കാതിരിക്കുന്നതിനെ സംബന്ധിച്ചു ജട്ടിമാസ്റ്ററിനെ അറിയിച്ചാൽ അതിനെസംബന്ധിച്ചു നടപടികൾ എടുക്കാത്തതു എന്തുകൊണ്ടു;

(ഇ) ൧൦—൪—൧൯൫൦-ൽ, ൧൦-൫൦ a.m. നു് എറണാകുളം ജട്ടിയിൽനിന്നു പുറപ്പെട്ട Stella ബോട്ടിൽ മേൽപ്രകാരം യാത്രക്കാക്ക് ടിക്കറ്റു കൊടുക്കാഞ്ഞതിനെ സംബന്ധിച്ചു യാത്രക്കാർ ജട്ടിമാസ്റ്ററിനോടു വല്ല ആവലാതിയും പറയുകയുണ്ടായോ;

(എഫ്) ഉണ്ടായെങ്കിൽ അദ്ദേഹം അതിനു എന്തു നടപടി എടുത്തിട്ടുണ്ടു?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):*

(എ) ഇല്ല.

(ബി) അപ്രകാരം ചെയ്യുന്നതായി ഗവൺമെണ്ടിനു അറിവില്ല.

(സി) ഇല്ല.

(ഡി) അങ്ങിനെയുള്ള ആക്ഷേപങ്ങൾ കിട്ടീട്ടില്ല.

(ഇ) ജട്ടി സൂപ്രഡണ്ടിനോടു് കുറെ യാത്രക്കാർ ആവലാതിപ്പെട്ടു. എന്നാൽ ലൈസൻസു് നമ്പർ യാത്രക്കാർ ബോട്ടിൽ ഉണ്ടായിരുന്നതുകൊണ്ടു് ഇവരെ ബോട്ടിൽ കയറി അയക്കുന്നതിനു തരപ്പെട്ടില്ല. എന്നാൽ ൧൧-൫൭-നുള്ള ഞാറക്കൽ ബോട്ടിൽ ഇവരെ കയറി അയച്ചു.

POST-MORTUM SHEDS FOR DISPENSARIES

314. Mr. George Panikulam *(Irinjalakkuda):*

(*a*) whether any arrangement has been made after the last Budget Session to consturct postmortem sheds attached to the dispensaries unprovided with such sheds;

(*b*) if so, in which dispensaries?

Rao Sahib Dr. T. Verghese (*Chief Medical Officer*):

(*a*) No, building materials are so scarce that it has not been possible to take up this work this year. It is however hoped that it would be possible to construct a few sheds at least next year.

(*b*) Does not arise.

MATERNITY WARD OF THE CHITTUR HOSPITAL

315. Mr. A. Eachara Menon *(Chittur-Rural):* Will Government be pleased to state.—

(*a*) how many patients are there in the Maternity Ward of the Chittur Hospital at present;

(*b*) do the Government allow the patients to be attended to by their own people;

(*c*) have the Government provided with a latrine for these people;

(*d*) how far from this ward is the latrine now in existence;

(*e*) has not this fact of their using the surroundings of the ward brought to the notice of the Government;

(*f*) is this not derogatory to the accepted canons of the preservation of public health?

Rao Sahib Dr. T. Verghese (*Chief Medical Officer*):

(*a*) Nine.

(*b*) No.

(*c*) There is no special latrine for the relatives of the patients.

(*d*) About 450 ft.

(*e*) It is reported that such nuisances are occasionally committed but, the Assisiant Surgeon has been ordered to see that such practice is put a stop to.

LIBRARY ARCHIVES Kerala Legislative Assembly